

NASA Technical Memorandum 104750

Compositional Analysis and Classification of Projectile Residues in LDEF Impact Craters

Friedrich Horz

Ronald P. Bernhard

June 1992

NASA

(NASA-TM-104750) COMPOSITIONAL
ANALYSIS AND CLASSIFICATION OF
PROJECTILE RESIDUES IN LDEF IMPACT
CRATERS (NASA) 209 p

N93-11374

Unclass

G3/92 0126273

485540

1N-92
106-173
P209

NASA Technical Memorandum 104750

Compositional Analysis and Classification of Projectile Residues in LDEF Impact Craters

Friedrich Horz
Lyndon B. Johnson Space Center
Houston, Texas

Ronald P. Bernhard
Lockheed Engineering and Science Company
Houston, Texas

National Aeronautics and Space Administration
Lyndon B. Johnson Space Center
Houston, Texas

June 1992

INTRODUCTION

The Long Duration Exposure Facility (LDEF) provides an unprecedented opportunity to study the hypervelocity particle environment in Low Earth Orbit (LEO). The total surface area exposed was some 130 m² and total mission duration some 5.7 years, yielding time-area products almost 2 orders of magnitude larger than all previous opportunities combined to study hypervelocity damage and impact features on surfaces retrieved from space. While most surfaces were dedicated to investigate a diversity of environmental effects, some 30m² were planned on LDEF to characterize the hypervelocity particle environment (Levine, 1992).

Typical crater or penetration hole investigations concentrate on their size-frequency and areal density in support of particle flux measurements (e.g. Humes, 1992), on specific collisional damage caused to a variety of materials and on the chemical and isotopic composition of projectile residues associated with individual impact features (e.g. Amari et al, 1992). Among those instruments concentrating on the compositional make-up of the hypervelocity particles in LEO was the "Chemistry of Micrometeoroids" experiment (CME or AO187-1; Horz et al, 1992). These particles are expected to originate from a variety of natural sources, such as comets and asteroids, as well as from man-made sources, such as accidental spacecraft explosions or as byproducts of spacecraft operations, e.g. solid fuel rocket firings or waste-dumps. The primary objective of CME concentrates on natural cosmic dust particles as representatives of early solar system processes (e.g. Kerridge and Matthews, 1988).

Analyses of such particle residues are time consuming owing to the small sample mass, frequently < 10-10 g. Nevertheless a variety of analytical methods are available and in many cases it is even desirable to employ a variety of complementary methods on a single specimen. For example, if only melt were found lining the crater bottoms and walls, the analysis methods and procedures would differ from a case where unmelted impactor fragments are preserved; the latter would attempt detailed phase characterization and delineation of textural relationships. Clearly, it is not practical -nor necessary- to investigate every single impact in identical, detailed fashion; such detailed characterization can only be performed on a high graded, representative population of crater residues. It becomes necessary, therefore, to perform survey-type investigations that can reveal in qualitative fashion the diversity of particle types present and

identify those features worthy of detailed effort. This survey-type preliminary investigation must be performed in systematic fashion over a randomly selected population of craters.

This document details the results of such a compositional survey and illuminates the substantial variety of particle types that exist in LEO. Specifically we present a survey type study of craters in high purity gold ($> 99.99\%$ Au) substrates that were exposed by instrument AO187-1 on LDEF's trailing edge, location AO3. This gold substrate was approximately 0.8 m^2 in surface area and 0.5 mm thick. No penetrative impact event(s) were observed in these gold sheets and all impact features are microcraters, the larger ones approaching mm in diameter. The total surface area was composed of 7 individual gold panels, 6 of which were surveyed in detail. They contain a total of 198 craters $> 20\text{ }\mu\text{m}$ in diameter, all of which were subjected to the above described survey activity.

Those familiar with small-scale impact cratering will notice a distinct dichotomy in crater morphology. Most craters appear normal, yet a fair number possess unusual morphologies, characterized by delamination and substantial peeling of material, giving rise to petalled craters and rims. This atypical morphology seems to be caused by structural heterogeneities of the gold substrate, produced by rolling. It appears that layers a few micron thick were smeared from topographic highs into lows during this rolling process, yet did not bond completely to form a physically homogeneous target. Interestingly, we observed the initial surface onto which the last rolling operation deposited the thin, relatively weakly bonded layers, to be characterized by particularly high (surface) contaminants, on occasion, suggesting again that some old surface was covered by material of high intrinsic purity. Specifically, As levels on this surface can be substantially above background, although contamination is by no means limited to As.

The purpose of this report is to present in catalog form our survey type findings on an unbiased set of impact features, because every crater observed optically on these gold-substrates was analyzed. The principle compositional information is in the form of energy-dispersive X-ray spectra, the most widely applied survey method. These spectra are qualitative and establishment of particle types and especially of source area, i.e. "natural" versus "man-made" is a highly interpretative matter. In many cases such distinctions are made readily, yet transitional cases exist where X-ray spectra alone may not suffice. Detailed classification of LDEF-particle-types and their compositional grouping/source assignment is just emerging. The specific goal of this report is to contribute to ongoing efforts in establishing such classifications, by presenting our evidence and criteria pertaining to compositional groups and classes of particles. We encourage

critique and comments by others, because a common set of criteria must be developed by all LDEF workers to classify all LDEF projectiles in systematic fashion.

The actual classification proposed in this document was largely developed and adopted from the analyses of space-exposed surfaces retrieved during the repair of the **Solar Maximum** satellite (e.g. Rietmeijer et al, 1986, Lurance and Brownlee, 1986, Warren et al, 1989) and **Palapa** (Bernhard, 1990). The latter in turn leans heavily on the criteria adopted during the preliminary analysis of compositionally diverse **particulates recovered from the stratosphere** via high altitude U2 or ER2 aircraft (e.g. Brownlee, 1985, Mackinnon and Rietmeijer, 1987, or Bradley et al., 1988). Lastly, the format of the catalog is patterned after the catalogs produced periodically following preliminary analysis of the stratospheric particle collections (Zolensky et al, 1990).

SAMPLE PROCESSING AND ANALYSIS

Experiment surfaces from A03 were stored, scanned, and processed in the Facility for the Optical Inspection of Large Surfaces (FOILS Lab) at the Johnson Space Center. Each of the 7 gold panels (57 x 20.6cm) were optically scanned at 80x using a Leitz M8 stereo microscope and computer-aided imaging/digitization system. Craters were located, measured, and labeled with a feature number adjacent to the impact. The impacts were then punched from the plates using a hand operated punch/die press and the core number was etched onto the back of each disk. Samples are 1.6cm in diameter and 0.5mm thick. Scanning Electron Microscopy (SEM) and Energy Dispersive X-ray Analysis (EDXA) was conducted on each feature to determine its origin.

SEM imaging was performed with an ISI-SR50 at an accelerating voltage of 25Kv. Images are therefore relatively high in contrast and resolution (low voltages result in relatively lower contrasts and lower resolutions). Each sample was surveyed at high magnification for possible projectile remnants. The high contrast conditions simplified the task of separating the brighter target melt from the darker (in most cases) projectile melt. EDXA data were collected using a Si(Li) detector on a LINK eXL analyzer (detector 90 degrees from beam path). Because of the equipment setup and the sample (crater) geometry, a 30 degree sample tilt, high accelerating voltage, and long count times were used to insure maximum efficiency. Because of the nature of high velocity collision, many of the impacts were void of obvious projectile residues and contained only vapor coatings left by impacting projectiles. X-ray spectra were collected and recorded over a 0-20 KeV range, count times vary for 100 - 4000 seconds. In some cases,

system (artifact) peaks appear in the spectra due to acquisition geometries and are expected. Low levels of contamination are also present as Silicon and in some impacts Arsenic (probably from surface manufacturing).

CATALOG FORMAT

Each page in the main body of the catalog is devoted to one impact and consists of SEM (SEI) image, an EDXA spectrum, and a brief summary of preliminary examination data obtained. Component (E00E-E00K) depicts the gold plate on which the impact was detected. The feature number identifies the crater as detected during optical scanning, the core number identifies the curated sample disk on which the crater resides. The diameter is in micrometers and is measured optically rim-to-rim. Spectrum are normalized to 4000 counts and are typical of residues found in the associated impact.

RESULTS

The survey-type data and interpretations are summarized in Figure 1. Some 30% (N=57) of all impactors are interpreted to be natural cosmic dust, some 15% (N=30) projectiles are interpreted as man-made, and some 50% of all craters analyzed did not contain detectable residues at the sensitivity level of the SEM EDXA method employed.

Three major subclasses can be distinguished among the natural projectiles:

1) CHONDRITIC

These contain Si, Mg, and Fe as major components with minor quantities of Al, Ca and S; the latter may not be present all the time. Typically, these residues are melts that contain very little clastic material, if any. They seem to derive from fine-grained, compound aggregates of chondritic bulk composition.

2) MONOMINERALIC SILICATES

These contain Si, Mg, Ca and Fe in variable proportions typical for mafic silicates, such as olivine or pyroxene. While also mostly molten, some of these craters contain fragments of the above minerals, typically in clusters, i.e. fragments of a larger parent-crystal. Some of the melts have chondritic composition, indicating that the large crystals resided in a fine-grained, chondritic matrix. All craters that contain unmelted fragments are relatively shallow, suggesting low-velocity impacts.

3) NI-FE SULFIDES


These are also, in essence, monomineralic projectiles composed of Ni-Fe rich sulfides, a major mineral in carbonaceous and other meteorites.

The population of man-made particles is variable as well, although the majority (N=25) seems to be made up of Al only, and could be caused either by Al₂O₃ spheres from solid rocket exhausts or from structural aluminum-fragments. This is the first time that aluminum could be demonstrated to be the dominant species, owing to the favorable composition of the "collector" substrate, i.e. the Au-background. Two craters contained stainless steel signatures (Fe, Ni, Cr) and one each was a paint flake (Ti, Zn, Al), a solder-speck (Ag) and some electronic components (Cu). The total number of man-made impactors is unexpectedly high for the trailing edge of a non-spinning platform, such as LDEF, and suggests that highly elliptic particle orbits, consistent with geostationary satellites or their transfer vehicles, were underestimated in the past.

Some 50% of all craters contain no residue, despite considerable analytical efforts. The associated projectiles must have vaporized leaving either no trace or sufficiently thin vapor deposits only that are beyond detection. Considerable effort was spent on experimenting with diverse electron beam settings and other instrument parameters to increase the yield of "analyzable" projectile residues, yet 50% of all impacts left no signature, unfortunately.

A03 GOLD

(N = 198)




REFERENCES

- Amari, S., Foote, J., Simon, C., Swan, P., Walker, R.M., Zinner, E., Jessberger, E.K., Lange, G., and Stadermann, F. (1992) SIMS Chemical Analysis of Extended Impact Features from the Trailing Edge Portion of Experiment AO187-2. In LDEF - 69 Months in Space, Levine, A.S. ed., NASA Conf. Publ. 3134, p. 503-516.
- Bernhard, R.P. (unpublished Palapa investigations), 1991
- Bradley, J.P., Sandford, S.A. and Walker, R.M. (1988) Interplanetary Dust Particles, In Meteorites and the Early Solar System, Kerridge, J.F. and Matthews, M.S. eds., U of Arizona Press, 861-898.
- Brownlee, D.E. (1985) Cosmic Dust: Collection and Research, Ann. Rev. Earth Planet. Sci., 13, 134-150.
- Horz, F., Bernhard, R.P., Warren, J., See, T.H., Brownlee, D.E., Laurance, M.R., Messenger, S. (1992) Preliminary Analysis of LDEF Instrument AO187-1 "Chemistry of Micrometeoroids Experiment", In LDEF - 69 Months in Space, Levine, S.A. ed., NASA Conf. Publ. 3134, p.487-501.
- Humes, D.H. (1992) Large Craters on the Meteoroid and Space Debris Impact Experiment, In LDEF- 69 Months in Space, Levine, S.A. ed., NASA Conf. Publ. 3134, p. 399-418.
- Kerridge, J.F., and Matthews, M.S., eds., (1988) Meteorites and the Early Solar System, The U. of Arizona Press, 1269p., 1988.
- Laurance, M.R. and Brownlee, D.E. (1986) The flux of meteoroids and orbital space debris striking satellites in low earth orbit, Nature, 323, 136-138.
- Levine, A.S. (1992) LDEF-69 Months in Space, First Post-Retrieval Symposium, NASA Conference Publication 3134, 1992.
- Mackinnon, I.D.R. and Rietmeijer, F.J.M. (1987) Mineralogy of chondritic interplanetary dust particles, Rev. Geophys. Space Phys., 25, 1527-1553.
- Rietmeijer, F.J.M., Schramm, L., Barrett, R.A., McKay, D.S., and Zook. H.A. (1986), An inadvertent capture cell for orbital debris and micrometeoroids; the main electronics box thermal blanket of the Solar Maximum Satellite, Adv. Space Res., 6, 145-149.
- Warren, J. L. and 10 co-authors (1989) The detection and observation of meteoroid and space debris impact features on the Solar Maximum Satellite, Proc. Lunar Planet. Sci. Conf., 19th, 641-657.
- Zolensky, M.E. ed. (1990) Cosmic Dust Cataloge 11,1, Particles from Collection Flag L2005, JSC, Publ. # 24461-SN-83, 170 pp.

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 1

CORE: LD-34


DIAMETER: 990 μ m

ORIGIN: Unknown



A03E00E

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOE

FEATURE: 69

CORE: LD-5


DIAMETER: 20 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 70


CORE: LD-7

DIAMETER: 185 μ m

ORIGIN: Unknown



ORIGINAL FILE
BLACK AND WHITE PHOTOGRAPH **A03E00E**




COMPONENT: EOOE

FEATURE: 71

CORE: LD-8


DIAMETER: 90 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 72

CORE: LD-9

DIAMETER: 60 μ m

ORIGIN: Man-made



A03E00E

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOE

FEATURE: 73

CORE: LD-10


DIAMETER: 20 μ m

ORIGIN: Man-made



A03E00E

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOE

FEATURE: 74

CORE: LD-11


DIAMETER: 60 μ m

ORIGIN: Unknown



A03E00E

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOE

FEATURE: 75

CORE: LD-12


DIAMETER: 55 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE


FEATURE: 76

CORE: LD-13

DIAMETER: 20 μ m

ORIGIN: Natural






COMPONENT: EOOE

FEATURE: 77

CORE: LD-42

DIAMETER: 120 μm

ORIGIN: Unknown



A03E00E




COMPONENT: EOOE

FEATURE: 78

CORE: LD-44


DIAMETER: 25 μm

ORIGIN: Man-made



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 79

CORE: LD-45


DIAMETER: 70 μm

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 80

CORE: LD-38


DIAMETER: 95 μm

ORIGIN: Unknown



A03E00E

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOE

FEATURE: 81

CORE: LD-40


DIAMETER: 70 μ m

ORIGIN: Unknown



ORIGINAL FILE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 82

CORE: LD-46

DIAMETER: 40 μm

ORIGIN: Unknown



A03E00E

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOE

FEATURE: 83

CORE: LD-47


DIAMETER: 75 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 84

CORE: LD-39


DIAMETER: 65 μm

ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 85

CORE: LD-43


DIAMETER: 155 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 86

CORE: LD-41


DIAMETER: 25 μ m

ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 87

CORE: LD-21


DIAMETER: 60 μ m

ORIGIN: Unknown



A03E00E

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOE

FEATURE: 88

CORE: LD-20


DIAMETER: 40 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 89

CORE: LD-23

DIAMETER: 155 μ m

ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 90

CORE: LD-25


DIAMETER: 160 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 91

CORE: LD-24


DIAMETER: 55 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 92

CORE: LD-37

DIAMETER: 30 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 93

CORE: LD-19


DIAMETER: 60 μ m

ORIGIN: Man-made



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 94

CORE: LD-36


DIAMETER: 35 μ m

ORIGIN: Natural



A03E00E

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOE


FEATURE: 96

CORE: LD-31

DIAMETER: 70 μ m

ORIGIN: Natural






COMPONENT: EOOE

FEATURE: 97

CORE: LD-32


DIAMETER: 50 μm

ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 99

CORE: LD-26


DIAMETER: 50 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 100

CORE: LD-30


DIAMETER: 50 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 101

CORE: LD-33


DIAMETER: 20 μm

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E



COMPONENT: EOOE


FEATURE: 102

CORE: LD-22

DIAMETER: 240 μm


ORIGIN: Natural

CLASS: Chondritic



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 103

CORE: LD-27

DIAMETER: 70 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 104

CORE: LD-15


DIAMETER: 440 μ m

ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE


FEATURE: 105

CORE: LD-18

DIAMETER: 30 μ m

ORIGIN: Man-made





COMPONENT: EOOE


FEATURE: 106

CORE: LD-28

DIAMETER: 10 μm


ORIGIN: Natural

CLASS: Chondritic



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E



COMPONENT: EOOE


FEATURE: 107

CORE: LD-14

DIAMETER: 105 μ m


ORIGIN: Man-made

CLASS: Debris



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 108


CORE: LD-16

DIAMETER: 210 μ m

ORIGIN: Unknown



A03E00E




COMPONENT: EOOE


FEATURE: 109

CORE: LD-17

DIAMETER: 30 μ m

ORIGIN: Unknown





COMPONENT: EOOE


FEATURE: 110

CORE: LD-29

DIAMETER: 170 μm


ORIGIN: Natural

CLASS: Chondritic



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 111

CORE: LD-6

DIAMETER: 15 μ m

ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00F




COMPONENT: E00F


FEATURE: 112

CORE: LD-82


DIAMETER: 15 μ m

ORIGIN: Unknown






COMPONENT: E00F
FEATURE: 113
CORE: LD-83
DIAMETER: 55 μm
ORIGIN: Natural
CLASS: Chondritic



A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F

FEATURE: 114

CORE: LD-81


DIAMETER: 40 μ m

ORIGIN: Unknown



A03E00E

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH



COMPONENT: E00F


FEATURE: 115

CORE: LD-51

DIAMETER: 55 μm


ORIGIN: Natural

CLASS: Chondritic



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00F




COMPONENT: E00F

FEATURE: 116

CORE: LD-53


DIAMETER: 10 μ m

ORIGIN: Man-made




ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00F




COMPONENT: E00F
FEATURE: 117
CORE: LD-52

DIAMETER: 20 μ m
ORIGIN: Natural



A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F

FEATURE: 118

CORE: LD-57


DIAMETER: 65 μ m

ORIGIN: Unknown



A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F

FEATURE: 119

CORE: LD-58


DIAMETER: 25 μ m

ORIGIN: Unknown



A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F

FEATURE: 120

CORE: LD-54


DIAMETER: 170 μ m

ORIGIN: Natural



A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F

FEATURE: 121

CORE: LD-55


DIAMETER: 40 μ m

ORIGIN: Natural



A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F

FEATURE: 123

CORE: LD-59


DIAMETER: 35 μ m

ORIGIN: Man-made



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00F




COMPONENT: E00F

FEATURE: 124

CORE: LD-61


DIAMETER: 20 μ m

ORIGIN: Unknown



A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F

FEATURE: 126

CORE: LD-80


DIAMETER: 30 μ m

ORIGIN: Unknown



A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F

FEATURE: 127

CORE: LD-78


DIAMETER: 150 μm

ORIGIN: Man-made



A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F

FEATURE: 128

CORE: LD-79


DIAMETER: 55 μ m

ORIGIN: Natural



A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F

FEATURE: 129

CORE: LD-73


DIAMETER: 35 μm

ORIGIN: Unknown




A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F
FEATURE: 130
CORE: LD-77
DIAMETER: 55 μm
ORIGIN: Natural



A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F

FEATURE: 131

CORE: LD-72


DIAMETER: 25 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00F




COMPONENT: E00F

FEATURE: 132

CORE: LD-74


DIAMETER: 65 μ m

ORIGIN: Unknown



A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F

FEATURE: 133

CORE: LD-63


DIAMETER: 85 μ m

ORIGIN: Natural



A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F

FEATURE: 134

CORE: LD-71

DIAMETER: 55 μm

ORIGIN: Natural



A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F

FEATURE: 135

CORE: LD-62


DIAMETER: 160 μ m

ORIGIN: Man-made



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00F




COMPONENT: E00F

FEATURE: 136

CORE: LD-76


DIAMETER: 105 μm

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00F




COMPONENT: E00F

FEATURE: 137

CORE: LD-75


DIAMETER: 40 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00F




COMPONENT: E00F

FEATURE: 138

CORE: LD-70


DIAMETER: 60 μ m

ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00F




COMPONENT: E00F

FEATURE: 139

CORE: LD-64


DIAMETER: 15 μ m

ORIGIN: Man-made



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00F




COMPONENT: E00F

FEATURE: 140

CORE: LD-65


DIAMETER: 10 μm

ORIGIN: Unknown



A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F

FEATURE: 141

CORE: LD-68

DIAMETER: 40 μ m

ORIGIN: Unknown



A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F

FEATURE: 142

CORE: LD-69

DIAMETER: 20 μ m

ORIGIN: Unknown




A03E00F

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00F
FEATURE: 143
CORE: LD-67
DIAMETER: 65 μm
ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 171

CORE: LD-156

DIAMETER: 100 μm

ORIGIN: Unknown




ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH
FEATURE: 172
CORE: LD-159
DIAMETER: 10 μ m
ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 173

CORE: LD-157


DIAMETER: 15 μm

ORIGIN: Natural



A03E00H

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOH

FEATURE: 174

CORE: LD-158


DIAMETER: 30 μ m

ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 175

CORE: LD-125


DIAMETER: 25 μm

ORIGIN: Unknown



A03E00H

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOH

FEATURE: 176

CORE: LD-124


DIAMETER: 245 μm

ORIGIN: Natural




A03E00H

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOH
FEATURE: 177
CORE: LD-121
DIAMETER: 30 μm
ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 178

CORE: LD-126


DIAMETER: 55 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 179

CORE: LD-122

DIAMETER: 15 μm

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 180

CORE: LD-127


DIAMETER: 35 μ m

ORIGIN: Unknown




ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH
FEATURE: 181
CORE: LD-123
DIAMETER: 65 μ m
ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 182

CORE: LD-128


DIAMETER: 20 μ m

ORIGIN: Man-made




ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH
FEATURE: 183
CORE: LD-129
DIAMETER: 35 μ m
ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 184

CORE: LD-129


DIAMETER: 60 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 185

CORE: LD-130


DIAMETER: 45 μ m

ORIGIN: Man-made



A03E00H

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOH

FEATURE: 186

CORE: LD-131

DIAMETER: 40 μ m


ORIGIN: Natural



C-2

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 187

CORE: LD-132


DIAMETER: 60 μm

ORIGIN: Natural



A03E00H

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOH


FEATURE: 188

CORE: LD-133


DIAMETER: 25 μ m

ORIGIN: Natural






COMPONENT: EOOH
FEATURE: 189
CORE: LD-136
DIAMETER: 25 μm
ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 190

CORE: LD-134


DIAMETER: 40 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 191

CORE: LD-135

DIAMETER: 25 μm

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 192

CORE: LD-152


DIAMETER: 55 μ m

ORIGIN: Unknown



A03E00H

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOH

FEATURE: 193

CORE: LD-155


DIAMETER: 100 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 194

CORE: LD-153


DIAMETER: 55 μm

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 195

CORE: LD-151

DIAMETER: 65 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 196

CORE: LD-154


DIAMETER: 30 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 197

CORE: LD-146


DIAMETER: 55 μ m

ORIGIN: Unknown



A03E00H

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOH

FEATURE: 198

CORE: LD-145

DIAMETER: 45 μm

ORIGIN: Unknown






COMPONENT: EOOH

FEATURE: 199

CORE: LD-144


DIAMETER: 20 μ m

ORIGIN: Unknown



A03E00H

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOH

FEATURE: 200

CORE: LD-143


DIAMETER: 95 μ m

ORIGIN: Unknown



A03E00H

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOH

FEATURE: 201

CORE: LD-150


DIAMETER: 55 μ m

ORIGIN: Natural




ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH
FEATURE: 202
CORE: LD-141

DIAMETER: 20 μm
ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 203

CORE: LD-149


DIAMETER: 30 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 204

CORE: LD-142


DIAMETER: 15 μm

ORIGIN: Unknown




ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE
FEATURE: 205
CORE: LD-137
DIAMETER: 15 μ m
ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00E




COMPONENT: EOOE

FEATURE: 208

CORE: LD-138


DIAMETER: 10 μ m

ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 207

CORE: LD-147

DIAMETER: 15 μm

ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 208

CORE: LD-139


DIAMETER: 65 μm

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 209

CORE: LD-140


DIAMETER: 30 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00H




COMPONENT: EOOH

FEATURE: 210

CORE: LD-148

DIAMETER: 115 μ m

ORIGIN: Natural




ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00I




COMPONENT: EOOI
FEATURE: 211
CORE: LD-196

DIAMETER: 40 μ m
ORIGIN: Natural



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOI

FEATURE: 212

CORE: LD-164


DIAMETER: 210 μ m

ORIGIN: Natural



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00I

FEATURE: 213

CORE: LD-167


DIAMETER: 145 μ m

ORIGIN: Unknown



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOI

FEATURE: 214

CORE: LD-165


DIAMETER: 25 μ m

ORIGIN: Man-made



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00I

FEATURE: 215

CORE: LD-166


DIAMETER: 20 μ m

ORIGIN: Man-made




A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOI
FEATURE: 216
CORE: LD-168
DIAMETER: 60 μm
ORIGIN: Man-made




A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00I
FEATURE: 217
CORE: LD-169
DIAMETER: 40 μ m
ORIGIN: Natural



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOI

FEATURE: 218

CORE: LD-170


DIAMETER: 20 μ m

ORIGIN: Natural



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00I

FEATURE: 219

CORE: LD-195

DIAMETER: 70 μ m

ORIGIN: Unknown



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOI

FEATURE: 220

CORE: LD-189


DIAMETER: 25 μ m

ORIGIN: Unknown




A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOI
FEATURE: 221
CORE: LD-191
DIAMETER: 100 μ m
ORIGIN: Unknown




A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH



COMPONENT: E00I
FEATURE: 222
CORE: LD-192
DIAMETER: 25 μ m
ORIGIN: Unknown




A03E001

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH



COMPONENT: E001
FEATURE: 223
CORE: LD-193
DIAMETER: 45 μ m
ORIGIN: Natural



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOI

FEATURE: 224

CORE: LD-188


DIAMETER: 180 μ m

ORIGIN: Unknown



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00I

FEATURE: 225

CORE: LD-194


DIAMETER: 80 μ m

ORIGIN: Unknown



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOI

FEATURE: 226

CORE: LD-190


DIAMETER: 60 μ m

ORIGIN: Unknown




A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00I
FEATURE: 227
CORE: LD-171
DIAMETER: 50 μ m
ORIGIN: Unknown



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOI

FEATURE: 228

CORE: LD-178


DIAMETER: 50 μ m

ORIGIN: Unknown



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00I

FEATURE: 229

CORE: LD-179

DIAMETER: 15 μ m

ORIGIN: Unknown



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOI

FEATURE: 230

CORE: LD-172


DIAMETER: 20 μ m

ORIGIN: Unknown



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOI

FEATURE: 231

CORE: LD-181


DIAMETER: 20 μ m

ORIGIN: Unknown



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOI

FEATURE: 232

CORE: LD-181


DIAMETER: 20 μ m

ORIGIN: Man-made




A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH



COMPONENT: E00I
FEATURE: 233
CORE: LD-180
DIAMETER: 75 μ m
ORIGIN: Natural




A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00I
FEATURE: 234
CORE: LD-187
DIAMETER: 20 μ m
ORIGIN: Natural




A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00I
FEATURE: 235
CORE: LD-177
DIAMETER: 40 μ m
ORIGIN: Natural



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOI

FEATURE: 236

CORE: LD-176


DIAMETER: 130 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00I




COMPONENT: E00I

FEATURE: 237

CORE: LD-176


DIAMETER: 35 μ m

ORIGIN: Unknown




ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00I



COMPONENT: EOOI
FEATURE: 238
CORE: LD-175
DIAMETER: 100 μ m
ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00I




COMPONENT: EOOI

FEATURE: 239

CORE: LD-173


DIAMETER: 160 μ m

ORIGIN: Unknown



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00I

FEATURE: 240

CORE: LD-182


DIAMETER: 15 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00I




COMPONENT: EOOI

FEATURE: 241

CORE: LD-174


DIAMETER: 20 μ m

ORIGIN: Man-made



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOI

FEATURE: 242

CORE: LD-183


DIAMETER: 95 μ m

ORIGIN: Unknown



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00I

FEATURE: 243

CORE: LD-184


DIAMETER: 125 μ m

ORIGIN: Unknown




A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH



COMPONENT: EOOI
FEATURE: 244
CORE: LD-185
DIAMETER: 80 μ m
ORIGIN: Natural



A03E00I

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00I

FEATURE: 245

CORE: LD-186


DIAMETER: 30 μ m

ORIGIN: Unknown



A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOJ

FEATURE: 246

CORE: LD-227


DIAMETER: 55 μ m

ORIGIN: Unknown



A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00J

FEATURE: 247

CORE: LD-201

DIAMETER: 15 μ m

ORIGIN: Unknown




A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOJ
FEATURE: 248
CORE: LD-202
DIAMETER: 20 μm
ORIGIN: Natural



A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOJ

FEATURE: 249

CORE: LD-203


DIAMETER: 105 μ m

ORIGIN: Unknown



A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00J

FEATURE: 250

CORE: LD-204


DIAMETER: 55 μ m

ORIGIN: Unknown



A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOJ

FEATURE: 251

CORE: LD-205


DIAMETER: 45 μ m

ORIGIN: Natural



A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOJ

FEATURE: 252

CORE: LD-206


DIAMETER: 25 μ m

ORIGIN: Unknown



A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOJ

FEATURE: 253

CORE: LD-207

DIAMETER: 30 μm

ORIGIN: Unknown



A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00J

FEATURE: 254

CORE: LD-208


DIAMETER: 45 μ m

ORIGIN: Unknown




A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH



COMPONENT: E00J
FEATURE: 255
CORE: LD-209
DIAMETER: 100 μm
ORIGIN: Natural



A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00J

FEATURE: 256

CORE: LD-210


DIAMETER: 60 μ m

ORIGIN: Man-made




A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH



COMPONENT: EOOJ
FEATURE: 257
CORE: LD-211
DIAMETER: 95 μ m
ORIGIN: Natural



A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00J

FEATURE: 258

CORE: LD-226


DIAMETER: 45 μ m

ORIGIN: Unknown



A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOJ

FEATURE: 259

CORE: LD-212


DIAMETER: 50 μ m

ORIGIN: Unknown



A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOJ

FEATURE: 262

CORE: LD-214


DIAMETER: 30 μ m

ORIGIN: Man-made



A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOJ

FEATURE: 264

CORE: LD-216


DIAMETER: 30 μm

ORIGIN: Man-made



A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOJ

FEATURE: 265

CORE: LD-218


DIAMETER: 25 μm

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00J




COMPONENT: EOOJ

FEATURE: 266

CORE: LD-217


DIAMETER: 460 μ m

ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00J




COMPONENT: EOOJ

FEATURE: 267

CORE: LD-219


DIAMETER: 115 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00J




COMPONENT: EOOJ

FEATURE: 268

CORE: LD-220

DIAMETER: 40 μm

ORIGIN: Unknown



A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: E00J

FEATURE: 269

CORE: LD-221

DIAMETER: 45 μm

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00J




COMPONENT: EOOJ

FEATURE: 270

CORE: LD-222


DIAMETER: 330 μ m

ORIGIN: Unknown




A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOJ
FEATURE: 271
CORE: LD-233
DIAMETER: 60 μ m
ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00J




COMPONENT: EOOJ

FEATURE: 272

CORE: LD-224

DIAMETER: 65 μm

ORIGIN: Unknown



A03E00J

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOJ

FEATURE: 273

CORE: LD-225


DIAMETER: 55 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00K




COMPONENT: EOOK

FEATURE: 274

CORE: LD-259


DIAMETER: 45 μ m

ORIGIN: Natural



A03E00K

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOK

FEATURE: 275

CORE: LD-260


DIAMETER: 485 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00K




COMPONENT: EOOK

FEATURE: 276

CORE: LD-261


DIAMETER: 170 μ m

ORIGIN: Natural



A03E00K

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOK

FEATURE: 278

CORE: LD-232


DIAMETER: 30 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00K




COMPONENT: EOOK

FEATURE: 279

CORE: LD-233


DIAMETER: 220 μm

ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00K




COMPONENT: EOOK

FEATURE: 280

CORE: LD-234


DIAMETER: 160 μm

ORIGIN: Natural



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00K




COMPONENT: EOOK

FEATURE: 281

CORE: LD-235


DIAMETER: 40 μ m

ORIGIN: Natural



A03E00K

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOK

FEATURE: 282

CORE: LD-236


DIAMETER: 75 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00K




COMPONENT: EOOK

FEATURE: 283

CORE: LD-237


DIAMETER: 90 μ m

ORIGIN: Unknown



A03E00K

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOK

FEATURE: 284

CORE: LD-238


DIAMETER: 45 μ m

ORIGIN: Man-made



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00K




COMPONENT: EOOK

FEATURE: 285

CORE: LD-239


DIAMETER: 195 μ m

ORIGIN: Unknown



A03E00K

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOK

FEATURE: 286

CORE: LD-240


DIAMETER: 85 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00K




COMPONENT: EOOK

FEATURE: 287

CORE: LD-241

DIAMETER: 145 μ m


ORIGIN: Man-made



C-3

A03E00K

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOK

FEATURE: 288

CORE: LD-242

DIAMETER: 55 μm

ORIGIN: Unknown



A03E00K

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOK

FEATURE: 289

CORE: LD-255


DIAMETER: 260 μm

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00K




COMPONENT: EOOK

FEATURE: 291

CORE: LD-257


DIAMETER: 35 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00K




COMPONENT: EOOK

FEATURE: 292


CORE: LD-258

DIAMETER: 15 μm

ORIGIN: Man-made



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH **A03E00K**




COMPONENT: EOOK

FEATURE: 293

CORE: LD-243


DIAMETER: 15 μm

ORIGIN: Man-made



A03E00K

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOK

FEATURE: 295


CORE: LD-245

DIAMETER: 15 μ m


ORIGIN: Natural



A03E00K
ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOK
FEATURE: 296
CORE: LD-246
DIAMETER: 20 μm
ORIGIN: Man-made



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00K




COMPONENT: EOOK

FEATURE: 298

CORE: LD-248


DIAMETER: 85 μm

ORIGIN: Unknown



A03E00K

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOK

FEATURE: 299

CORE: LD-249

DIAMETER: 80 μ m

ORIGIN: Unknown



A03E00K

ORIGINAL PHOTO
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOK

FEATURE: 300

CORE: LD-250


DIAMETER: 35 μm

ORIGIN: Unknown



A03E00K

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOK

FEATURE: 301

CORE: LD-251


DIAMETER: 45 μ m

ORIGIN: Unknown



ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH

A03E00K




COMPONENT: EOOK

FEATURE: 302

CORE: LD-252


DIAMETER: 125 μ m

ORIGIN: Unknown



A03E00K

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOK

FEATURE: 304

CORE: LD-253


DIAMETER: 20 μ m

ORIGIN: Natural



A03E00K

ORIGINAL PAGE
BLACK AND WHITE PHOTOGRAPH




COMPONENT: EOOK

FEATURE: 305

CORE: LD-254

DIAMETER: 45 μ m

ORIGIN: Man-made



REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE June 1992	3. REPORT TYPE AND DATES COVERED Technical Memorandum		
4. TITLE AND SUBTITLE Compositional Analysis and Classification of Projectile Residues in LDEF Impact Craters		5. FUNDING NUMBERS		
6. AUTHOR(S) Friedrich Horz and Ronald P. Bernhard				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Solar System Exploration Division National Aeronautics and Space Administration Johnson Space Center Houston, Texas 77058		8. PERFORMING ORGANIZATION REPORT NUMBER S-678		
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) National Aeronautics and Space Administration Washington, D.C. 20546-001		10. SPONSORING / MONITORING AGENCY REPORT NUMBER NASA-TM-104750		
11. SUPPLEMENTARY NOTES Friedrich Horz: Johnson Space Center, Houston, Texas Ronald P. Bernhard: Lockheed Engineering and Science Company, Houston, Texas				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Unclassified/Unlimited Subject Category 92		Publicly Available		12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 words) This catalog contains preliminary analyses of residues of hypervelocity projectiles that encountered gold substrates exposed by instrument A0187-1 on the Long Duration Exposure Facility (LDEF). This instrument was on LDEF's trailing edge where relative encounter speeds should be lowest for any non-spinning platform in low Earth orbit (LEO). Approximately 0.6m ² of Au substrates yielded 198 impact craters >20 micrometers in diameter. Some 30% of the craters were made by natural cosmic dust particles and some 15% by man-made objects. Some 50% of all features, however, have residues, if any, that are beyond the detection threshold of the SEM-EDXA method used. The purpose of this catalog is to provide detailed evidence and criteria that may be used to arrive at specific particle types on a case-by-case basis and to group such particles into compositional classes. Clearly this is a somewhat interpretative undertaking. For that reason, we encourage and solicit critique and comments from those interested in the systematic analysis of all impact features on LDEF>				
14. SUBJECT TERMS long duration exposure facility, low Earth orbit, hypervelocity projectiles, impact craters, cosmic dust particles			15. NUMBER OF PAGES	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL	

